

SAFETY DATA SHEET

1. Product and Company Identification

IPS Product identifier

Other means of identification

Recommended use None known.

Recommended restrictions

Manufacturer

Not available Penetrating Oil

Hu-Friedy Mfg. Co., LLC

3232 N. Rockwell

Chicago, IL 60618-5982 US Phone: 773.975.6100 Fax: 773.868.3599

Emergency Phone: 1-800-535-5053 Outside US: 001-352-323-3500

2. Hazards Identification

Physical hazards Flammable liquids Category 4 Aspiration hazard Category 1 **Health hazards**

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word

Hazard statement Combustible liquid. May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Keep away from flames and hot surfaces-No smoking. Wear protective gloves/eye protection/face

protection.

If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. In case of fire: Response

Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep cool. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

/lixtur	Э
MIXLUI	J

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), light hydrotreated		64742-47-8	15 - 40
Naphtha (petroleum), hydrotreated heavy		64742-48-9	15 - 40

Composition comments

The exact percentage (concentration) of composition has been withheld as a trade secret in

accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Wash off with soap and water. Rinse skin with water/shower. Get medical attention if irritation Skin contact

develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

#22010 Page: 1 of 7 Issue date 06-August-2014 Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs. Aspiration may cause pulmonary edema and pneumonitis.

May be fatal if swallowed and enters airways.

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special Provide general supportive measures and treat symptomatically.

treatment needed **General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Treat for surrounding material.

None known.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

Fire-fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods General fire hazards

Combustible liquid.

Hazardous combustion products

Oxides of carbon.

Explosion data

Sensitivity to mechanical impact

Not available.

Sensitivity to static

discharge

Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and Storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, open flames or other sources of ignition. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

#22010 Page: 2 of 7 Issue date 06-August-2014

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value

Distillates (petroleum), light

hydrotreated (CAS 64742-47-8)

TWA 100 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Wear appropriate chemical resistant clothing. Other

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Clear **Appearance** Liquid. **Physical state** Liquid. **Form** Color Colorless Odor Hydrocarbon Not available. Odor threshold Not available pН Not available. Melting point/freezing point Initial boiling point and boiling

range

Not available.

Pour point Not available. Specific gravity 0.79 (water=1) Partition coefficient Not available.

(n-octanol/water)

149.0 °F (65.0 °C) Tag Closed Cup

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flash point

Not available.

Flammability limit - upper

Viscosity

Not available.

Water thin

Not available. **Explosive limit - lower (%)** Explosive limit - upper (%) Not available. Vapor pressure Not available.

Vapor density Not available. Not available. Relative density Solubility(ies) Negligible Not available. **Auto-ignition temperature Decomposition temperature** Not available.

#22010 Page: 3 of 7 Issue date 06-August-2014 10. Stability and Reactivity

ReactivityThe product is stable and non reactive under normal conditions of use, storage and transport.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials

Hazardous decomposition

products

Strong oxidizing agents.

Oxides of carbon.

11. Toxicological Information

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Information on likely routes of exposure

Ingestion May be fatal if swallowed and enters airways.

Inhalation May be fatal if swallowed and enters airways. Prolonged inhalation may be harmful.

Skin contact

Eye contact

No adverse effects due to skin contact are expected.

Direct contact with eyes may cause temporary irritation.

Symptoms related to the

Direct contact with eyes may cause temporary irritation.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. Expected to be a low hazard for usual industrial or

commercial handling by trained personnel.

Components Species Test Results

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat > 2.8 mg/l/4h

Oral

LD50 Rat > 5000 mg/kg

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Acute Dermal

LD50 Rabbit

Oral

LD50 Rat 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

3160 mg/kg

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization This product is not expected to cause skin sensitization.

#22010 Page: 4 of 7 Issue date 06-August-2014

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

No data available to indicate product or any components present at greater than 0.1% are Mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Specific target organ toxicity -

Not classified. Not classified.

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure

May be fatal if swallowed and enters airways.

Aspiration hazard Chronic effects

Prolonged inhalation may be harmful.

Further information Name of Toxicologically **Synergistic Products**

Not available. Not available.

12. Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

See below

Components Species **Test Results**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 2.9 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability

No data is available on the degradability of this product.

No data available. Bioaccumulative potential Mobility in soil No data available. Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material **Disposal instructions**

> and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

#22010 Page: 5 of 7 Issue date 06-August-2014 Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Distillates (petroleum), light hydrotreated (CAS 1 TONNES

64742-47-8)

Naphtha (petroleum), hydrotreated heavy (CAS 1 TONNES

64742-48-9)

WHMIS status Controlled

WHMIS classification Class B - Division 3 - Combustible Liquid

WHMIS labeling



US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous

chemical

mical

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Texas Effects Screening Levels: Listed substance

Distillates (petroleum), light hydrotreated (CAS Listed.

64742-47-8)

Naphtha (petroleum), hydrotreated heavy (CAS Listed.

64742-48-9)

US. Massachusetts RTK - Substance List

Distillates (petroleum), light hydrotreated (CAS Listed.

64742-47-8)

US. Pennsylvania RTK - Hazardous Substances

Distillates (petroleum), light hydrotreated (CAS Listed.

64742-47-8)

US. Rhode Island RTK

Not regulated.

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No


United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

4
3
2
1
0





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date06-August-2014Effective date01-August-2014Expiry date01-August-2017

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.