	Name. LINDRAGE FIGURE LINE				
1.0	Commercial Product Name and Supplier				
1.1	Commercial product name Embrace™ WetBond™ Class V Embrace™ WetBond™ First Coat Embrace™ Esthetic Opaquer Embrace™ WetBond™ Pit & Fissure Sealant Embrace™ WetBond™ Pit & Fissure Sealant L Embrace™ WetBond™ Seal-n-Shine™ Embrace™ WetBond™ Resin Cement	_ow Fill	EMFC EMOK, EMO EMS, EMS3 EMSWLF,E EMSNS, EM		04, EMO5 W, EMSWB
1.2	Application / Use		Dental mate	erial for use by dental pro	ofessional only.
1.2.2			851 Human	health activity	·
1.2.3			55		
1.3	Manufacturer Pulpdent Corporation 80 Oakland Street Watertown, MA 02472 USA		Fax: Email: <u>Pulp</u>	1 617 926-6666 1 617 926-6262 dent@pulpdent.com	
1.4	Emergency Telephone Number		1-800-535-5053 (24 Hour / USA)		
1.5	Authorized European Representative		Advena Ltd Pure Office: Warwick, C' United King	s, Plato Close V34 6WE	
2.0	Hazards Identification				
2.1	Classification				
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard Cla Eye irritatio STOT SE Skin irritati Skin sensi	on on	Hazard Category 2 3 2 1	Hazard Statement H319 H335 H315 H317
2.1.2 2.2	Classification according to Directive 67/548/EEC GHS Label Elements Hazard Pictograms	Irritant	; Xi; R 36/37	7/38-43 (See SECTION 16	for full text of risk phrases)
	!				
	Signal Word: WARNING Restricted to use by dental professional only. Hazard Statements H319: Eye irritation. 2. May cause eye irritation. H335: STOT SE. 3. May cause respiratory irritation. H315: Skin irritation. 2. May cause skin irritation. H317: Sensitization. 1. May cause an allergic skin reaction.				
	Precautionary Statements P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with wate		minutes.		

Trade Name: *EMBRACE™ Product Line*

P337+P313: If eye irritation persists, get medical advice/attention.

P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

3.0	Composition				
3.1 3.2	Chemical characterization of the preparation: Acrylate ester monomers in two-part, glass-filled, dual-cure paste. Hazardous ingredients				
	CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).
	Proprietary	Uncured acrylate ester monomers	55-60%	Irritant; Xi R 3637//38 - 43	Eye irritation, 2 STOT SE 3 Skin irritation, 2 Skin sensitization, 1
	112945-52-5	Silica, amorphous	5 %	Irritant; Xi, R 36/37/38	Eye irritation, 2 STOT SE 3 Skin irritation, 2
	7681-49-4	Sodium fluoride	<1%	Harmful (Xn);	Acute toxicity, 4
				R22-36/38	Skin irritation, 2 Eye irritation, 2
4.0	First Aid Measure	s			
4.1	General Informatio	May	May be irritating to eyes, respiratory system and skin. Do not inhale vapors. May cause sensitization by skin contact. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.		
4.2	Inhalation		Move to fresh air. If necessary, administer oxygen and/or artificial respiration. Seek medical attention.		
4.3	Skin Contact	Tak	Take off contaminated clothing. Wash thoroughly with soap and water.		
4.4	Eye Contact		p eyelids apart, flu ntion.	sh with running wa	ater for 15+ minutes. Get medical
4.5	Ingestion	atte		ting to mucous me	vomiting. Get immediate medical embranes. Never give anything by
4.0		mol	itii to aii uiiconsciou	s person.	inibianes. Never give anything by
4.6	Precautions for firs		tilate the area. Wear	•	
4.6 4.7	Precautions for firs Information for phy	t responders Ven		•	
		t responders Ven sicians		eye and skin proted	ction.
	Information for phy	t responders Ven sicians	tilate the area. Wear	eye and skin proted	ction.
	Information for phy Symptoms	t responders Ven sicians Irrita May	tilate the area. Wear	eye and skin protect yes, throat or on skir respiratory system,	etion.
	Information for phy Symptoms Hazards	t responders Ven sicians Irrita May As a	tilate the area. Wear ation or redness in ey be irritating to eyes	eye and skin protect yes, throat or on skir respiratory system,	etion.
4.7	Information for phy Symptoms Hazards Treatment	t responders Vensicians Irrita May As a sures ing media Car	tilate the area. Wear ation or redness in ey be irritating to eyes above under First Aid	eye and skin protectives, throat or on skir, respiratory system,	etion.
5.0	Information for phy Symptoms Hazards Treatment Fire Fighting Mea	t responders Vensicians Irrita May As a sures ing media Car use	tilate the area. Wear ation or redness in ey be irritating to eyes above under First Aid bon dioxide, dry che	eye and skin protectives, throat or on skin, respiratory system, l. mical, alcohol foam and containers cool.	etion. n. skin or sensitizing by skin contact.

5.4	Special protective equipment for fire- fighters	Self-contained breathing apparate spray to prevent polymerization un	us. Cool exposed containers with water der fire conditions.	
6.0	Accidental Release Measures			
6.1	Personal precautions.	Wear safety glasses, gloves and lab coat.		
6.2	Environmental precautions	Avoid releasing large amounts of uncured material into the environment Cured / set-up material is, to our knowledge, inert.		
6.3	Method for clean up	Contain spilled material. Absorb or wipe up spill with paper towels or cloths. Collect for disposal in a covered container. Wash spill area with alcohol or soap and water.		
7.0	Handling and Storage			
7.1	Handling	For use only by dental professionals. Follow good hygiene practices. Avoid direct/strong light sources, temperature extremes (>27°C/80°F, <5°C/40°F), contamination and cross contamination. Recap immediately after use.		
7.2	Storage	Store product tightly capped in original container at cool room temperature (<25°C). Avoid direct, strong light, sources of ignition and extremes of temperature. Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.		
7.3	Specific uses	Dental restorative materials	Dental restorative materials	
8.0	Exposure Controls / Personal Protecti	on		
8.1	Exposure limit values	PEL: Not established. TLV: Not e	stablished.	
8.2	Exposure controls			
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use.		
8.2.1.1	Respiratory protection	Good general ventilation will control airborne vapors from uncured material.		
8.2.1.2	Hand protection	No special requirements other than	No special requirements other than the usual surgical gloves.	
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses.		
8.2.1.4	Skin protection	Good personal hygiene and safety practices and wearing a lab coat should protect from exposure to uncured material.		
8.2.1.5	Other controls	Emergency eye wash fountain sho	Emergency eye wash fountain should be available. Wash hands after use.	
8.2.2	Environmental exposure controls	Cure material before disposing.	Cure material before disposing.	
9.0	Physical and Chemical Properties			
9.1	Characteristics			
9.1.1	Appearance /Color / Physical state	Embrace Product	<u>Description</u>	
	•	First Coat, Seal-n-Shine	Thin, clear liquid	
		Esthetic Opaquer	Opaque, thick paste: Bleach White, Off- White, Light Yellow, Pink, Dark Yellow	
		Pit and Fissure Sealant	Natural tooth shade or off-white thin paste.	
		Pit and Fissure Sealant, Low Fill	Off-white thin paste	
		Class V	Tooth-colored paste.	
		Resin Cement:	Two thin pastes: one white, one yellow.	

9.1.2	Odor	Faint, characteristic	
9.2	Important health, safety and environmental information		
9.2.1	pH	Not determined	
9.2.2	Boiling point	Not determined	
9.2.3	Flash point	Not determined	
9.2.4	Flammability (solid, gas)	Not applicable	
9.2.5	Explosive properties	Not applicable	
9.2.6	Oxidizing properties	Not determined	
9.2.7	Vapor pressure	< 1 mm Hg	
9.2.8	Specific gravity	Embrace First Coat: 1.420 Embrace Seal-n-Shine: 1.240 Embrace Opaquer: 1.780 Embrace Pit & Fissure Sealant: 1.575 Embrace Pit & Fissure Sealant, Low Fill: 1.160 Embrace Class V: 2.030 Embrace Resin Cement: Low Viscosity: 1.660 Embrace Resin Cement: Medium Viscosity: 1.400	
9.2.9	Solubility in water	Nil	
9.2.10	Partition coefficient	Not determined	
9.2.11	Viscosity	Not determined	
9.2.12	Vapor density	Not determined	
9.2.13	Evaporation rate	Not determined	
10.0	Stability and reactivity		
10.1	Conditions to avoid	Temperature > 38°C, intense light, cross-contamination.	
10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.	
10.3	Hazardous decomposition products	Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up release of carbon monoxide, carbon dioxide, and oxides of nitrogen.	
10.4	Further information	Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light.	
11.0	Toxicological information		
11.1	Acute toxicity	Not toxic. Minimal health hazard under normal conditions of use.	
11.2	Irritation and corrosiveness	May be irritating to eyes, respiratory tract, mucous membranes or skin on contact or with prolonged exposure.	
11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.	
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged and/or frequent skin contact may cause allergic skin reactions in susceptible individuals.	

 11.5 Carcinogenicity, Mutagenicity, Reproductive None known Toxicity 11.6 Empirical data Not available 	
11.6 Empirical data Not available	
11.0 Limpinoai data Not available	
	used safely and effectively by dentists r more than 10 years with no reports of
12.0 Ecological Information	
	rial into the environment. To the best of laterial is inert. No other information is not regulations.
13.0 Disposal Considerations	
13.1 Regulations Follow all local and national material or contaminated packs	government regulations in disposing aging.
14.0 Transport Information	
14.1 Restrictions None. Not regulated.	
15.0 Regulatory Information	
15.1 EU Class IIa medical devices unde	r MDD 93/42/EEC.
15.2 US FDA Class II medical devices.	
15.3 Health Canada Class III medical devices	
16.0 Other information	
	respiratory system and skip
16.1 List of relevant R phrases R 36 / 3 7/ 38: Irritating to eyes R 43: Sensitizing by skin conta	
R 43: Sensitizing by skin conta 16.2 Hazard Statements H319: Eye irritation. Hazard car	ct. tegory 2. oxicity - Single exposure; hazard ritation. tegory 2.
R 43: Sensitizing by skin conta 16.2 Hazard Statements H319: Eye irritation. Hazard ca H335: Specific Target Organ To category. 3. Respiratory tract in H315: Skin irritation. Hazard ca H317: Skin Sensitization. Hazard P261: Avoid breathing vapor. P280: Wear protective gloves a P305 + P351: If in eyes, rin minutes. P337 + P313: If eye irritation po P302 + P352: If on skin, wash of P333 + P313: If irritation of attention.	tegory 2. cxicity - Single exposure; hazard ritation. tegory 2. rd category 1. and eye protection ase cautiously with water for several ersists, get medical advice/attention.

Trade Name: *EMBRACE™ Product Line*

16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH)
		US Occupational Safety and Health Administration (OSHA)
		Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).
		Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the GHS SDS format and the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.

Revision Date: July 1, 2015